

## Appendix: Drill Results

Table 1: Composite Drill Results (Composites Ox/Tr 0.17g/t Au cog & Sx 0.50g/t Au cog)

HOLE-ID	From (m)	To (m)	Core Length (m)	True Width	Au (g/t)	CN Rec (%)	Au GXM	Oxide Domain	Including 0.5g/t Au COG	Including 1g/t Au COG	Including 2g/t Au COG	Including 10g/t Au HG
AP24-02	146.30	164.59	18.3	N/C	0.25	71.2	4.53	Oxide	1.52m @ 0.59g/t Au & 91.2% CN Rec			
AP24-02	195.07	196.60	1.5	N/C	0.21	81.7	0.32	Oxide				
AP24-02	201.17	202.69	1.5	N/C	0.18	79.5	0.27	Oxide				
AP24-02	205.74	207.26	1.5	N/C	0.18	90.4	0.27	Oxide				
AP24-04	19.81	21.34	1.5	N/C	0.17	80.9	0.26	Oxide				
AP24-04	150.88	153.92	3.0	N/C	1.59	1.3	4.85	Sulphide		1.52m @ 2.41g/t Au & 0.6% CN Rec	1.52m @ 2.41g/t Au & 0.6% CN Rec	
AP24-04	160.02	163.07	3.0	N/C	1.05	10.1	3.21	Sulphide		3.05m @ 1.05g/t Au & 10.1% CN Rec		
AP24-04	175.26	176.78	1.5	N/C	0.23	57.8	0.34	Oxide				
AP24-04	178.31	179.83	1.5	N/C	0.17	40.7	0.26	Oxide				
AP24-04	188.98	192.02	3.0	N/C	0.35	60.7	1.07	Oxide	1.52m @ 0.52g/t Au & 67.6% CN Rec			
AP24-06	131.06	132.59	1.5	N/C	1.11	46.0	1.69	Oxide	1.52m @ 1.11g/t Au & 46% CN Rec	1.52m @ 1.11g/t Au & 46% CN Rec		
AP24-06	132.59	137.16	4.6	N/C	0.58	13.7	2.67	Sulphide				
AP24-06	138.68	140.21	1.5	N/C	1.19	42.2	1.81	Oxide	1.52m @ 1.18g/t Au & 42.2% CN Rec	1.52m @ 1.18g/t Au & 42.2% CN Rec		
BW24-01	103.63	105.16	1.5	N/C	0.23	99.1	0.35	Oxide				
BW24-01	112.78	178.31	65.5	N/C	1.16	96.0	76.07	Oxide	50.29m @ 1.46g/t Au & 96% CN Rec	12.19m @ 2.41g/t Au & 97.2% CN Rec 24.38m @ 1.57g/t Au & 98.2% CN Rec	10.67m @ 2.6g/t Au & 97.8% CN Rec 7.62m @ 2.13g/t Au & 98.3% CN Rec	
BW24-01	184.40	187.45	3.0	N/C	0.30	98.6	0.91	Oxide				
BW24-01	190.50	192.02	1.5	N/C	0.22	93.8	0.34	Oxide				
BW24-01	196.60	198.12	1.5	N/C	0.34	99.7	0.52	Oxide				
BW24-01	210.31	211.84	1.5	N/C	0.21	95.2	0.32	Oxide				
DS24-11	199.64	201.17	1.5	N/C	0.95	92.6	1.45	Oxide	1.52m @ 0.95g/t Au & 92.6% CN Rec			
DS24-12	201.17	210.31	9.1	N/C	1.08	9.7	9.86	Sulphide		9.14m @ 1.08g/t Au & 9.7% CN Rec	1.52m @ 2.14g/t Au & 10.3% CN Rec	
DS24-12	240.79	243.84	3.0	N/C	1.89	35.0	5.77	Sulphide		3.05m @ 1.89g/t Au & 35% CN Rec	1.52m @ 2.27g/t Au & 39.6% CN Rec	
DS24-12	252.98	254.51	1.5	N/C	4.16	24.5	6.34	Sulphide		1.52m @ 4.16g/t Au & 24.5% CN Rec	1.52m @ 4.16g/t Au & 24.5% CN Rec	
DS24-12	254.51	256.03	1.5	N/C	0.40	82.9	0.61	Oxide				
DS24-12	257.56	262.13	4.6	N/C	0.61	24.0	2.79	Sulphide				
DS24-12	358.14	365.76	7.6	N/C	1.05	9.0	8.01	Sulphide		1.52m @ 2.37g/t Au & 5.5% CN Rec	1.52m @ 2.37g/t Au & 5.5% CN Rec	
DSC24-02	160.63	195.38	34.7	18.62	2.68	92.8	92.99	Oxide	20.42m @ 4g/t Au & 86.6% CN Rec	13.56m @ 5.85g/t Au & 80.7% CN Rec	11.28m @ 6.85g/t Au & 77.4% CN Rec	2.74m @ 11.93g/t Au & 93.9% CN Rec
DSC24-03	89.00	90.53	1.5	1.05	0.26	97.3	0.39	Oxide				
DSC24-03	207.26	215.49	8.2	5.47	0.24	77.0	1.94	Oxide				
DSC24-03	221.59	229.21	7.6	5.07	1.41	81.0	10.76	Oxide	6.1m @ 1.69g/t Au & 76.4% CN Rec	6.1m @ 1.69g/t Au & 76.4% CN Rec	1.52m @ 3.52g/t Au & 100% CN Rec	
DSC24-03	284.38	285.45	1.1	0.70	1.00	42.0	1.07	Oxide	1.07m @ 1g/t Au & 42% CN Rec	1.07m @ 1g/t Au & 42% CN Rec		
DSC24-03	288.04	289.56	1.5	1.00	0.86	16.4	1.30	Sulphide				
DSC24-04	85.04	86.56	1.5	N/C	0.62	46.8	0.94	Oxide	1.52m @ 0.62g/t Au & 46.8% CN Rec			
DSC24-04	93.57	103.78	10.2	N/C	0.36	90.2	3.68	Oxide	2.59m @ 0.56g/t Au & 97.7% CN Rec			
DSC24-04	112.47	133.35	20.9	N/C	0.34	86.4	7.09	Oxide	1.68m @ 0.71g/t Au & 77% CN Rec 1.68m @ 0.6g/t Au & 97.7% CN Rec			
DSC24-04	192.94	194.46	1.5	N/C	0.54	46.6	0.82	Oxide	1.52m @ 0.54g/t Au & 46.6% CN Rec			
DSC24-04	200.56	202.08	1.5	N/C	0.31	65.6	0.46	Oxide				
DSC24-04	208.18	209.70	1.5	N/C	0.25	52.6	0.38	Oxide				
DSC24-04	247.80	250.85	3.0	N/C	1.11	45.0	3.37	Oxide	3.05m @ 1.11g/t Au & 45% CN Rec	1.52m @ 1.68g/t Au & 43.6% CN Rec		
DSC24-04	258.47	259.99	1.5	N/C	0.62	24.3	0.94	Sulphide				
DSC24-04	270.66	272.19	1.5	N/C	0.68	13.3	1.03	Sulphide				
DSC24-04	279.81	284.38	4.6	N/C	0.61	12.1	2.81	Sulphide				
ELT24-01	118.87	120.40	1.5	N/C	0.26	76.9	0.40	Oxide				
ELT24-03	99.06	111.25	12.2	N/C	0.20	89.2	2.38	Oxide				
JW24-02	102.11	105.16	3.0	2.08	0.33	64.7	1.01	Oxide				
JW24-02	108.20	109.73	1.5	1.04	0.18	67.8	0.27	Oxide				
JW24-02	114.30	115.82	1.5	1.04	0.20	51.3	0.30	Oxide				
JW24-06	47.24	48.77	1.5	1.00	0.19	63.5	0.29	Oxide				
JW24-06	192.02	193.55	1.5	1.14	0.32	52.5	0.49	Oxide				
JW24-07	0.00	39.62	39.6	39.07	0.25	68.2	9.82	Oxide				

JW24-07	45.72	70.10	24.4	<b>23.63</b>	0.21	76.5	5.15	Oxide				
JW24-08	1.52	9.14	7.6	<b>7.51</b>	0.27	85.7	2.04	Oxide				
JW24-08	60.96	62.48	1.5	<b>1.50</b>	0.17	97.7	0.27	Oxide				
JW24-09	6.10	16.76	10.7	<b>10.51</b>	0.22	85.8	2.30	Oxide				
JW24-10	10.67	12.19	1.5	<b>1.50</b>	0.23	87.7	0.35	Oxide				
JW24-11	1.52	32.00	30.5	<b>29.26</b>	0.40	92.9	12.22	Oxide	12.19m @ 0.52g/t Au & 94% CN Rec			
JW24-11	45.72	57.91	12.2	<b>11.95</b>	0.18	93.2	2.15	Oxide				
JW24-11	65.53	71.63	6.1	<b>5.97</b>	0.19	90.1	1.19	Oxide				
JW24-11	77.72	79.25	1.5	<b>1.49</b>	0.21	66.7	0.32	Oxide				
JW24-12	35.05	36.58	1.5	<b>1.50</b>	0.22	60.5	0.33	Oxide				
JW24-12	41.15	42.67	1.5	<b>1.49</b>	0.19	46.4	0.30	Oxide				
JW24-12	47.24	48.77	1.5	<b>1.49</b>	0.22	54.8	0.33	Oxide				
JW24-12	54.86	57.91	3.0	<b>2.98</b>	0.20	50.0	0.61	Oxide				
JW24-12	74.68	86.87	12.2	<b>11.89</b>	0.22	60.5	2.62	Oxide				
JW24-13	12.19	25.91	13.7	<b>13.51</b>	0.23	90.5	3.16	Oxide				
JW24-13	32.00	35.05	3.0	<b>3.00</b>	0.42	96.2	1.29	Oxide				
JW24-13	50.29	54.86	4.6	<b>4.46</b>	0.20	95.3	0.91	Oxide				
JW24-13	70.10	77.72	7.6	<b>7.38</b>	0.21	100.0	1.61	Oxide				
JW24-14	3.05	6.10	3.0	<b>3.00</b>	0.20	80.4	0.62	Oxide				
JW24-14	13.72	15.24	1.5	<b>1.50</b>	0.30	92.7	0.46	Oxide				
JW24-15	1.52	4.57	3.0	<b>2.99</b>	0.25	88.3	0.75	Oxide				
JW24-15	25.91	42.67	16.8	<b>16.45</b>	0.19	95.4	3.14	Oxide				
JW24-16	3.05	6.10	3.0	<b>3.00</b>	0.26	86.5	0.78	Oxide				
JW24-16	24.38	25.91	1.5	<b>1.49</b>	0.24	100.0	0.36	Oxide				
JW24-16	83.82	91.44	7.6	<b>7.41</b>	0.32	86.3	2.45	Oxide	1.52m @ 0.55g/t Au & 96.7% CN Rec			
JW24-17	62.48	64.01	1.5	<b>1.49</b>	0.17	46.0	0.27	Oxide				
JW24-17	71.63	73.15	1.5	<b>1.49</b>	0.18	93.4	0.28	Oxide				
JW24-17	89.92	91.44	1.5	<b>1.50</b>	0.23	100.0	0.35	Oxide				
JW24-18	9.14	12.19	3.0	<b>2.99</b>	0.21	96.3	0.65	Oxide				
JW24-18	30.48	51.82	21.3	<b>20.87</b>	0.20	81.8	4.25	Oxide				
JW24-18	60.96	68.58	7.6	<b>7.41</b>	0.40	78.9	3.03	Oxide	1.52m @ 1.15g/t Au & 93.2% CN Rec	1.52m @ 1.15g/t Au & 93.2% CN Rec		
JW24-19	35.05	41.15	6.1	<b>5.99</b>	0.24	95.0	1.45	Oxide				
JW24-19	73.15	74.68	1.5	<b>1.49</b>	0.20	83.3	0.31	Oxide				
JW24-19	86.87	88.39	1.5	<b>1.48</b>	0.24	78.8	0.37	Oxide				
MU24-03	59.44	73.15	13.7	<b>N/C</b>	0.28	73.5	3.79	Oxide	1.52m @ 0.58g/t Au & 78.8% CN Rec			
PC24-02	130.15	185.32	55.2	<b>38.56</b>	1.04	75.2	57.10	Oxide	26.82m @ 0.77g/t Au & 75.3% CN Rec 12.04m @ 2.67g/t Au & 81.4% CN Rec	3.51m @ 1.53g/t Au & 70.6% CN Rec 11.13m @ 2.86g/t Au & 80.5% CN Rec	9.6'm @ 3.02g/t Au & 79.7% CN Rec	
PRMW24-02	57.91	59.44	1.5	<b>1.45</b>	0.18	72.6	0.27	Oxide				
PRMW24-02	71.63	73.15	1.5	<b>1.46</b>	0.19	100.0	0.29	Oxide				
PRMW24-02	109.73	111.25	1.5	<b>1.46</b>	0.28	97.5	0.42	Oxide				
PRMW24-03	96.01	126.49	30.5	<b>28.65</b>	0.81	91.4	24.74	Oxide	12.19m @ 1.69g/t Au & 84.6% CN Rec 1.52m @ 0.51g/t Au & 100.0% CN Rec	10.67m @ 1.83g/t Au & 88.6% CN Rec	4.57m @ 2.93g/t Au & 87.6% CN Rec	
PRMW24-03	146.30	172.21	25.9	<b>24.35</b>	0.31	79.9	7.93	Oxide	1.52m @ 0.52g/t Au & 93% CN Rec 3.05m @ 0.59g/t Au & 73.9% CN Rec			
PRMW24-03A	83.82	89.92	6.1	<b>5.96</b>	0.21	61.3	1.25	Oxide				
PRMW24-03A	114.30	188.98	74.7	<b>72.81</b>	1.54	75.6	115.26	Oxide	25.91m @ 1.21g/t Au & 72.2% CN Rec 7.62m @ 0.64g/t Au & 67.4% CN Rec 9.14m @ 7.46g/t Au & 86.8% CN Rec 1.52m @ 1.21g/t Au & 63.6% CN Rec	7.62m @ 1.67g/t Au & 76.8% CN Rec 7.62m @ 1.64g/t Au & 67% CN Rec 9.14m @ 7.46g/t Au & 86.8% CN Rec 1.52m @ 1.21g/t Au & 63.6% CN Rec	1.52m @ 2.18g/t Au & 87.1% CN Rec 1.52m @ 3.9g/t Au & 79.6% CN Rec 4.57m @ 13.67g/t Au & 94.5% CN Rec	4.57m @ 13.67g/t Au & 94.5% CN Rec
PS24-01	16.76	39.62	22.9	<b>N/C</b>	0.21	56.2	4.91	Oxide				
RBN24-01	1.52	3.05	1.5	<b>N/C</b>	0.19	62.8	0.29	Oxide				
RBN24-01	22.86	38.10	15.2	<b>N/C</b>	0.17	65.4	2.62	Oxide				
RBN24-01	54.86	60.96	6.1	<b>N/C</b>	0.20	57.7	1.20	Oxide				
RBN24-01	71.63	77.72	6.1	<b>N/C</b>	0.17	72.4	1.06	Oxide				
RBN24-02	74.68	76.20	1.5	<b>N/C</b>	0.22	67.3	0.34	Oxide				
RBN24-03	112.78	114.30	1.5	<b>N/C</b>	0.23	52.9	0.35	Oxide				
RBN24-05	15.24	16.76	1.5	<b>N/C</b>	0.30	73.6	0.46	Oxide				
RBN24-05	24.38	33.53	9.1	<b>N/C</b>	0.46	64.9	4.22	Oxide	4.57m @ 0.59g/t Au & 64.9% CN Rec	1.52m @ 1.06g/t Au & 79.6% CN Rec		
RBN24-05	45.72	62.48	16.8	<b>N/C</b>	0.21	71.2	3.49	Oxide				
RBN24-06	28.96	30.48	1.5	<b>N/C</b>	0.18	87.4	0.28	Oxide				

RBN24-06	38.10	44.20	6.1	N/C	0.21	85.2	1.26	Oxide		
RBN24-06	64.01	68.58	4.6	N/C	0.21	86.9	0.94	Oxide		
RBN24-07	10.67	16.76	6.1	N/C	0.18	55.1	1.13	Oxide		
RBN24-08	1.52	4.57	3.0	N/C	0.20	91.9	0.61	Oxide		
RBN24-08	48.77	50.29	1.5	N/C	0.26	95.8	0.40	Oxide		
RBN24-08	59.44	60.96	1.5	N/C	0.19	99.0	0.29	Oxide		
RBN24-08	179.83	181.36	1.5	N/C	0.18	98.9	0.28	Oxide		
RR24-02	35.05	36.58	1.5	N/C	1.92	0.8	2.92	Sulphide	1.52m @ 1.92g/t Au & 0.8% CN Rec	
RR24-02	123.44	128.02	4.6	N/C	0.94	1.7	4.31	Sulphide	1.52m @ 1.22g/t Au & 1.2% CN Rec	
RR24-03	152.40	193.55	41.1	N/C	1.89	5.7	77.88	Sulphide	33.53m @ 2.17g/t Au & 5.9% CN Rec	21.34m @ 2.28g/t Au & 6.2% CN Rec 3.05m @ 2.09g/t Au & 3.6% CN Rec
ST24-01	7.62	9.14	1.5	N/C	0.23	80.0	0.34	Oxide		
ST24-02	1.52	3.05	1.5	N/C	0.28	96.8	0.43	Oxide		
ST24-03	9.14	56.39	47.2	N/C	0.19	78.6	8.88	Oxide		
ST24-06	64.01	65.53	1.5	N/C	0.20	97.4	0.30	Oxide		
ST24-06	67.06	68.58	1.5	N/C	0.17	87.7	0.26	Oxide		
ST24-06	77.72	79.25	1.5	N/C	0.20	95.0	0.30	Oxide		
ST24-06	83.82	85.34	1.5	N/C	0.17	87.7	0.26	Oxide		
ST24-06	86.87	88.39	1.5	N/C	0.17	92.0	0.27	Oxide		
ST24-07	38.10	39.62	1.5	N/C	0.21	84.1	0.33	Oxide		
ST24-07	42.67	44.20	1.5	N/C	0.17	74.7	0.27	Oxide		
ST24-07	45.72	47.24	1.5	N/C	0.22	64.2	0.33	Oxide		
ST24-07	83.82	85.34	1.5	N/C	0.18	66.3	0.28	Oxide		
ST24-07	88.39	89.92	1.5	N/C	0.46	77.8	0.71	Oxide		
ST24-10	16.76	42.67	25.9	N/C	0.28	85.1	7.26	Oxide	1.52m @ 0.67g/t Au & 84.1% CN Rec 1.52m @ 0.93g/t Au & 85.7% CN Rec	
ST24-10	56.39	57.91	1.5	N/C	0.23	82.6	0.35	Oxide		
ST24-11	19.81	21.34	1.5	N/C	0.28	60.5	0.43	Oxide		
ST24-11	32.00	38.10	6.1	N/C	0.17	64.0	1.06	Oxide		
ST24-11	70.10	71.63	1.5	N/C	0.38	75.5	0.59	Oxide		
ST24-11	85.34	99.06	13.7	N/C	0.64	83.8	8.76	Oxide	9.14m @ 0.78g/t Au & 84.3% CN Rec	1.52m @ 1.2g/t Au & 74.2% CN Rec

Criteria: Cut off grade Ox/Tr 0.17g/t Au & Sx 0.50g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m  
N/C : not calculated due to insufficient control on orientation of mineralization

**Table 2: Skarn Target Drill Results**

HOLE-ID	From (m)	To (m)	Core Length (m)	Au g/t	Ag g/t	Cu %	Pb %	Zn %	Mo ppm	Including	& Including	& Including
RRB24-01	1.52	57.91	56.4	0.03	21.1	0.22	0.10	0.39	134	36.6m @ 0.04g/t Au, 30.9g/t Ag, 0.33% Cu, 0.15% Pb, 0.58% Zn, 188ppm Mo	1.5m @ 0.03g/t Au, 68.4g/t Ag, 0.12% Cu, 0.47% Pb, 0.36% Zn, 911ppm Mo 9.1m @ 0.09g/t Au, 75.5g/t Ag, 1.12% Cu, 0.27% Pb, 1.65% Zn, 240ppm Mo	1.5m @ 0.12g/t Au, 354g/t Ag, 4.55% Cu, 0.59% Pb, 1.46% Zn, 751ppm Mo
RRB24-03	30.48	33.53	3.0	0.02	3.9	0.06	<0.005	0.04	2			
RRB24-03	54.86	64.01	9.1	0.00	3.1	0.06	0.01	0.11	3			
RRB24-03	73.15	100.58	27.4	0.01	9.6	0.11	0.03	0.12	8	9.1m @ 0.01g/t Au, 16g/t Ag, 0.2% Cu, 0.05% Pb, 0.24% Zn, 3ppm Mo		
RRB24-03	118.87	128.02	9.1	0.01	4.5	0.13	0.01	0.05	11			
RRB24-03	451.10	461.16	10.1	0.05	3.6	0.02	0.09	0.08	22			

**Table 3: South Carlin Complex Drill Hole Collars**

Drillhole	Target	Hole type	Grid	Easting	Northing	Elevation	Azimuth	Dip	Depth (m)
AP24-01	Appaloosa	RC	NAD27 / UTM zone 11N	587127.5	4468346.38	2164.1	160.0	-60.0	198.1
AP24-02	Appaloosa	RC	NAD27 / UTM zone 11N	587015.9	469312.57	215.4	180.0	-50.0	268.2
AP24-03	Appaloosa	RC	NAD27 / UTM zone 11N	587211.2	4468458.64	2153.0	300.0	-60.0	198.1

AP24-04	Appaloosa	RC	NAD27 / UTM zone 11N	586928.5	4469108.94	2214.9	90.0	-60.0	202.7
AP24-05	Appaloosa	RC	NAD27 / UTM zone 11N	587018.2	4469314.39	2215.3	55.0	-60.0	213.4
AP24-06	Appaloosa	RC	NAD27 / UTM zone 11N	587011.5	4469310.70	2215.5	245.0	-60.0	213.4
BW24-01	Bowl	RC	NAD27 / UTM zone 11N	586296.6	4466953.96	2180.2	210.0	-70.0	228.6
DS24-07	Dark Star	RC	NAD27 / UTM zone 11N	588265.8	4480330.97	1987.1	270.0	-60.0	365.8
DS24-08	Dark Star	RC	NAD27 / UTM zone 11N	588300.6	4480146.54	1978.6	270.0	-60.0	320.0
DS24-09	Dark Star	RC	NAD27 / UTM zone 11N	588198.6	4480352.21	2001.3	270.0	-60.0	335.3
DS24-10	Dark Star	RC	NAD27 / UTM zone 11N	588169.7	4479972.49	2003.3	242.0	-65.0	335.3
DS24-11	Dark Star	RC	NAD27 / UTM zone 11N	587505.1	4479481.19	2033.5	85.0	-55.0	243.8
DS24-12	Dark Star	RC	NAD27 / UTM zone 11N	587501.3	4479481.51	2033.5	40.0	-63.0	365.8
DSC24-01	Dark Star	DD	NAD27 / UTM zone 11N	588298.7	4480219.28	1983.6	270.0	-60.0	356.6
DSC24-02	Dark Star	DD	NAD27 / UTM zone 11N	588172.9	4479973.98	2002.7	270.0	-70.0	320.0
DSC24-03	Dark Star	DD	NAD27 / UTM zone 11N	587705.6	4479637.52	2029.6	77.0	-55.0	289.6
DSC24-04	Dark Star	DD	NAD27 / UTM zone 11N	587704.5	4479638.91	2029.7	180.0	-80.0	289.6
ELT24-01	Elliot Dome	RC	NAD27 / UTM zone 11N	586011.1	4473779.44	2617.7	270.0	-60.0	237.7
ELT24-02	Elliot Dome	RC	NAD27 / UTM zone 11N	586169.1	4473651.96	2610.5	270.0	-60.0	254.5
ELT24-03	Elliot Dome	RC	NAD27 / UTM zone 11N	586186.4	4472948.05	2610.1	270.0	-60.0	313.9
ELT24-04	Elliot Dome	RC	NAD27 / UTM zone 11N	586249.8	4474044.38	2596.4	270.0	-60.0	176.8
JW24-01	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585300.9	4473619.82	2431.9	230.0	-60.0	198.1
JW24-02	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585389.4	4473742.67	2467.5	230.0	-60.0	198.1
JW24-03	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585400.0	4473744.77	2467.8	50.0	-60.0	198.1
JW24-04	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585596.5	4473835.12	2548.2	135.0	-60.0	88.4
JW24-05	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585567.8	4473582.43	2540.4	135.0	-60.0	129.5
JW24-06	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585561.7	4473596.46	2539.7	305.0	-60.0	198.1
JW24-07	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585531.4	4473168.30	2542.2	45.0	-70.0	91.4
JW24-08	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585231.4	4472944.54	2454.1	45.0	-70.0	91.4
JW24-09	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585216.1	4473053.78	2463.8	45.0	-70.0	91.4
JW24-10	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585186.9	4472861.45	2418.2	45.0	-70.0	91.4
JW24-11	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585151.2	4472943.29	2419.5	45.0	-70.0	91.4
JW24-12	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585141.3	4473063.19	2437.3	45.0	-70.0	91.4
JW24-13	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585085.5	4473060.05	2409.0	45.0	-70.0	91.4
JW24-14	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585124.0	4473408.41	2424.9	45.0	-70.0	91.4
JW24-15	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585092.9	4472851.66	2381.5	45.0	-70.0	91.4
JW24-16	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585089.2	4472941.39	2392.1	45.0	-70.0	91.4
JW24-17	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585009.2	4473053.21	2377.2	45.0	-70.0	91.4
JW24-18	Jasperoid Wash	RC	NAD27 / UTM zone 11N	585001.5	4472940.51	2358.0	45.0	-70.0	91.4
JW24-19	Jasperoid Wash	RC	NAD27 / UTM zone 11N	584997.5	4472844.62	2342.6	45.0	-70.0	91.4
MU24-01	Mustang	RC	NAD27 / UTM zone 11N	587109.1	4470099.37	2243.0	80.0	-50.0	298.7
MU24-02	Mustang	RC	NAD27 / UTM zone 11N	586669.8	4470507.25	2360.6	235.0	-45.0	65.5
MU24-03	Mustang	RC	NAD27 / UTM zone 11N	586856.6	4470281.99	2289.3	235.0	-55.0	243.8
PC24-02	Pinion	DD	NAD27 / UTM zone 11N	585197.0	4478681.72	2087.4	345.0	-78.0	228.6
PRMW24-01	Pinion	PZ	NAD27 / UTM zone 11N	584510.3	4479225.52	2130.8	0.0	-90.0	142.6
PRMW24-02	Pinion	PZ	NAD27 / UTM zone 11N	584349.4	4479486.77	2093.7	0.0	-90.0	126.5
PRMW24-03	Pinion	PZ	NAD27 / UTM zone 11N	585012.5	4479336.60	2200.0	0.0	-90.0	187.5
PRMW24-03A	Pinion	RC	NAD27 / UTM zone 11N	584975.4	4479408.26	2200.9	0.0	-90.0	193.5
PS24-01	Pony Spur	RC	NAD27 / UTM zone 11N	584761.3	4468777.83	2027.9	320.0	-65.0	74.7
PS24-02	Pony Spur	RC	NAD27 / UTM zone 11N	584868.0	4468312.86	2047.3	200.0	-60.0	149.4
PS24-03	Pony Spur	RC	NAD27 / UTM zone 11N	584342.5	4468821.19	2032.7	30.0	-50.0	149.4
PS24-04	Pony Spur	RC	NAD27 / UTM zone 11N	584579.9	4468960.56	1982.6	220.0	-50.0	152.4
PTR24-01	Porter	RC	NAD27 / UTM zone 11N	587576.9	4473293.70	2315.5	90.0	-60.0	301.8
PTR24-02	Porter	RC	NAD27 / UTM zone 11N	587841.4	4473342.36	2270.0	45.0	-50.0	6.1
PTR24-02A	Porter	RC	NAD27 / UTM zone 11N	587835.7	4473344.42	2270.5	45.0	-50.0	24.4
PTR24-02B	Porter	RC	NAD27 / UTM zone 11N	587835.7	4473344.42	2270.5	45.0	-50.0	301.8
RBN24-01	Robinson	RC	NAD27 / UTM zone 11N	585285.0	4471679.02	2203.0	65.0	-60.0	198.1
RBN24-02	Robinson	RC	NAD27 / UTM zone 11N	585289.3	4471680.19	2203.0	240.0	-70.0	301.8
RBN24-03	Robinson	RC	NAD27 / UTM zone 11N	585828.0	4471418.77	2265.0	240.0	-70.0	128.0
RBN24-03B	Robinson	RC	NAD27 / UTM zone 11N	585828.0	4471418.77	2265.0	240.0	-70.0	326.1
RBN24-04	Robinson	RC	NAD27 / UTM zone 11N	585836.4	4471417.47	2264.6	65.0	-60.0	198.1

<b>RBN24-05</b>	Robinson	RC	NAD27 / UTM zone 11N	585578.9	4471244.95	2204.8	240.0	-70.0	274.3
<b>RBN24-06</b>	Robinson	RC	NAD27 / UTM zone 11N	585590.5	4471248.27	2205.9	65.0	-60.0	198.1
<b>RBN24-07</b>	Robinson	RC	NAD27 / UTM zone 11N	585087.7	4471538.98	2155.4	235.0	-60.0	198.1
<b>RBN24-08</b>	Robinson	RC	NAD27 / UTM zone 11N	585092.9	4471543.21	2155.7	65.0	-60.0	198.1
<b>RR24-01</b>	North Bullion	RC	NAD27 / UTM zone 11N	584858.8	4488442.50	2064.3	314.0	-65.0	249.9
<b>RR24-02</b>	North Bullion	RC	NAD27 / UTM zone 11N	584863.5	4488606.85	2028.3	335.0	-68.0	249.9
<b>RR24-03</b>	North Bullion	RC	NAD27 / UTM zone 11N	584865.8	4488606.94	2028.4	165.7	-56.0	231.6
<b>RRB24-01</b>	Skarn	RC	NAD27 / UTM zone 11N	583570.2	4485519.84	2413.1	260.0	-65.0	659.9
<b>RRB24-02</b>	Skarn	RC	NAD27 / UTM zone 11N	581088.0	4486319.93	2340.2	220.0	-65.0	396.2
<b>RRB24-03</b>	Skarn	RC	NAD27 / UTM zone 11N	583135.6	4484606.97	2276.4	162.0	-60.0	461.2
<b>RRC24-01</b>	North Bullion	RC/DD	NAD27 / UTM zone 11N	584889.6	4489054.09	1968.6	230.0	-60.0	279.5
<b>RRC24-02</b>	North Bullion	RC/DD	NAD27 / UTM zone 11N	584887.8	4489054.18	1968.7	200.0	-80.0	213.4
<b>ST24-01</b>	Stallion Bowl	RC	NAD27 / UTM zone 11N	585860.9	4469469.35	2178.9	90.0	-60.0	198.1
<b>ST24-02</b>	Stallion Bowl	RC	NAD27 / UTM zone 11N	585883.6	4469607.74	2130.7	60.0	-60.0	249.9
<b>ST24-03</b>	Stallion	RC	NAD27 / UTM zone 11N	585796.1	4470125.21	2171.5	120.0	-50.0	149.4
<b>ST24-04</b>	Stallion	RC	NAD27 / UTM zone 11N	586031.6	4470268.59	2303.6	250.0	-60.0	173.7
<b>ST24-05</b>	Stallion	RC	NAD27 / UTM zone 11N	586047.1	4470069.15	2235.5	280.0	-68.0	118.9
<b>ST24-06</b>	Stallion	RC	NAD27 / UTM zone 11N	586064.5	4469941.61	2177.5	280.0	-60.0	198.1
<b>ST24-07</b>	Stallion	RC	NAD27 / UTM zone 11N	585802.4	4469984.67	2130.4	90.0	-50.0	198.1
<b>ST24-08</b>	Stallion	RC	NAD27 / UTM zone 11N	585836.2	4469826.44	2101.7	90.0	-60.0	198.1
<b>ST24-09</b>	Stallion Bowl	RC	NAD27 / UTM zone 11N	586181.9	4467850.68	2209.3	90.0	-60.0	198.1
<b>ST24-10</b>	Stallion Bowl	RC	NAD27 / UTM zone 11N	586275.8	4468031.32	2261.5	90.0	-60.0	198.1
<b>ST24-11</b>	Stallion Bowl	RC	NAD27 / UTM zone 11N	586196.8	4468686.25	2310.6	90.0	-60.0	198.1