

Appendix: Drill Results

Table 1: MSW Deep Directional Drill Results

HOLE-ID	From (m)	Core Length (m)	Estimated True Width (m)	Au (g/t)	Au GXM	Including	Method
25-NSD01-003W	2033.4	1.0		0.7	8.06	8.1	Photon (ALS)
25-NSD02-002W*	2112.9	2.4		1.8	0.28	0.7	Photon (ALS)
and	2121.0	2.0		1.6	0.18	0.4	Photon (ALS)
and	2149.7	3.5		2.8	0.47	1.7	Photon (ALS)
25-NSD02-003W*	2132.9	2.2		1.7	0.41	0.9	Photon (ALS)
25-NSD03-001	2277.5	0.6		0.6	7.03	4.2	0.6m @ 7.03g/t Au Photon (ALS)
25-NSD03-002W	2285.0	1.0		0.9	6.83	6.8	0.3m @ 16.7g/t Au Photon (ALS)
and	2308.0	5.0		4.6	5.57	27.9	1m @ 8.79g/t Au, 1m @ 8.25g/t Au Photon (ALS)

***Starred intervals do not meet composite reporting criteria outlined below but included to illustrate low-grade mineralization and reporting completeness.
Criteria: Cut off grade 2 g/t Au, minimum length 1.5m, maximum consecutive internal waste 2 m, if Au grade x length > 3 the composite will be added
Price Assumptions: Au = 1750usd oz*

Table 2: MSW Underground Drill Results

HOLE-ID	From (m)	Core Length (m)	Estimated True Width (m)	Au (g/t)	Au GXM	Including 5.0g/t Au COG	Including 10.0g/t Au COG	Method
25-LNX-009	235.0	9.0	7.7	22.06	198.6	8.1m @ 24g/t Au	8.1m @ 24g/t Au	Fire Assay (SGS)
25-LNX-012	0.1	0.9	0.8	4.54	4.1			Fire Assay (SGS)
and	142.6	2.4	1.8	6.11	14.7	2.4m @ 6.11g/t Au		Fire Assay (SGS)
and	271.1	1.4	1.3	3.71	5.2			Fire Assay (SGS)
and	292.5	2.1	1.5	6.55	13.8	2.1m @ 6.55g/t Au	0.6m @ 12.3g/t Au	Fire Assay (SGS)
and	309.8	3.2	2.0	2.45	7.9			Fire Assay (SGS)
25-LNX-038	196.1	0.9	0.9	21.60	19.4	0.9m @ 21.6g/t Au	0.9m @ 21.6g/t Au	Fire Assay (SGS)
25-LNX-039	101.8	3.4	3.2	7.24	24.6	2.1m @ 10g/t Au	0.7m @ 22.3g/t Au	Fire Assay (SGS)
and	179.5	1.0	1.0	4.68	4.7	0.4m @ 6.49g/t Au		Fire Assay (SGS)
and	207.8	1.9	1.7	4.63	8.8	1m @ 6.14g/t Au		Fire Assay (SGS)
25-LNX-040	105.5	1.5	1.4	3.22	4.8			Fire Assay (SGS)
and	185.5	1.4	1.3	4.35	6.1	0.9m @ 5.43g/t Au		Fire Assay (SGS)
and	215.3	4.5	3.9	5.08	22.9	1.2m @ 12.7g/t Au, 0.3m @ 10.3g/t Au	0.7m @ 17.5g/t Au, 0.3m @ 10.3g/t Au	Fire Assay (SGS)
and	222.0	5.0	4.9	6.19	30.9	5m @ 6.19g/t Au	1m @ 12.7g/t Au	Fire Assay (SGS)
25-LNX-041	128.9	1.8	1.6	16.53	29.8	1.8m @ 16.5g/t Au	1.8m @ 16.5g/t Au	Fire Assay (SGS)
and	241.0	15.0	11.6	10.14	152.0	3.8m @ 33.4g/t Au, 1m @ 9.36g/t Au	3.3m @ 37g/t Au, 0.6m @ 11.3g/t Au	Fire Assay (SGS)
25-LNX-042	112.6	1.4	1.2	4.12	5.8	0.4m @ 7.21g/t Au		Fire Assay (SGS)
and	124.0	1.0	0.9	3.57	3.6			Fire Assay (SGS)
and	194.0	4.6	4.4	1.94	8.9			Fire Assay (SGS)
and	226.4	3.6	3.4	18.07	65.1	3.3m @ 19.5g/t Au	3.3m @ 19.5g/t Au	Fire Assay (SGS)
and	238.9	0.6	0.6	8.29	5.0	0.6m @ 8.29g/t Au		Fire Assay (SGS)
25-LNX-043	136.0	2.0	1.7	7.76	15.5	0.7m @ 19.1g/t Au	0.7m @ 19.1g/t Au	Fire Assay (SGS)
and	222.0	0.5	0.4	8.02	4.0	0.5m @ 8.02g/t Au		Fire Assay (SGS)
and	266.6	7.4	5.5	4.40	32.5	0.4m @ 7.37g/t Au, 4m @ 6.67g/t Au	0.8m @ 15.4g/t Au, 0.4m @ 12.8g/t Au	Fire Assay (SGS)
and	280.0	3.7	3.3	3.40	12.6	1.1m @ 6.39g/t Au		Fire Assay (SGS)
and	291.0	1.0	0.9	4.24	4.2			Fire Assay (SGS)
25-LNX-044	142.7	2.4	1.5	5.53	13.3	1.6m @ 6.84g/t Au	0.3m @ 21.9g/t Au	Fire Assay (SGS)
and	233.2	2.4	1.7	9.78	23.5	1.5m @ 14.1g/t Au	1.2m @ 15.5g/t Au	Fire Assay (SGS)
and	271.8	0.4	0.2	8.19	3.3	0.4m @ 8.18g/t Au		Fire Assay (SGS)
and	280.1	3.9	2.7	3.48	13.6	0.3m @ 5.21g/t Au, 0.7m @ 12.3g/t Au	0.7m @ 12.3g/t Au	Fire Assay (SGS)
25-LNX-045	149.4	3.4	2.3	20.00	68.0	3.4m @ 20g/t Au	3.4m @ 20g/t Au	Fire Assay (SGS)
and	212.3	0.7	0.6	28.10	19.7	0.7m @ 28.1g/t Au	0.7m @ 28.1g/t Au	Fire Assay (SGS)
and	223.0	1.0	0.9	4.27	4.3			Fire Assay (SGS)
and	249.0	1.0	0.7	17.00	17.0	1m @ 17g/t Au	1m @ 17g/t Au	Fire Assay (SGS)
and	256.6	0.7	0.5	7.11	5.0	0.7m @ 7.11g/t Au		Fire Assay (SGS)
and	296.5	1.5	1.4	2.96	4.4	0.3m @ 5.59g/t Au		Fire Assay (SGS)
and	305.0	10.0	6.6	1.59	15.9			Fire Assay (SGS)
and	328.2	0.7	0.6	6.79	4.8	0.7m @ 6.79g/t Au		Fire Assay (SGS)
25-LNX-046	128.0	4.0	0.5	1.81	7.3			Fire Assay (SGS)
and	144.6	0.6	0.2	8.53	5.1	0.6m @ 8.53g/t Au		Fire Assay (SGS)
and	227.0	1.0	0.5	22.60	22.6	1m @ 22.6g/t Au	1m @ 22.6g/t Au	Fire Assay (SGS)
25-LNX-047	109.9	1.6	0.5	4.06	6.5	0.7m @ 5.89g/t Au		Fire Assay (SGS)
25-LNX-048	120.5	2.8	1.1	13.18	36.9	2.5m @ 14.4g/t Au	0.5m @ 45.9g/t Au	Fire Assay (SGS)
and	153.0	3.0	1.1	4.21	12.6			Fire Assay (SGS)
and	174.0	1.5	0.8	9.45	14.2	0.9m @ 13g/t Au	0.4m @ 17.1g/t Au	Fire Assay (SGS)
and	178.3	0.5	0.3	25.80	12.9	0.5m @ 25.8g/t Au	0.5m @ 25.8g/t Au	Fire Assay (SGS)
25-LNX-054	130.0	1.0	0.5	5.75	5.8	1m @ 5.75g/t Au		Fire Assay (SGS)
and	246.5	0.5	0.3	9.30	4.7	0.5m @ 9.3g/t Au		Fire Assay (SGS)
and	255.0	1.5	0.5	8.61	12.9	1.5m @ 8.61g/t Au		Fire Assay (SGS)
and	267.0	2.0	1.0	17.11	34.2	2m @ 17.1g/t Au	1m @ 26.4g/t Au	Fire Assay (SGS)
and	275.0	1.0	0.5	6.99	7.0	1m @ 6.99g/t Au		Fire Assay (SGS)
25-PQE-031	91.1	0.9	0.8	6.62	6.0	0.6m @ 8.37g/t Au	0.3m @ 10.5g/t Au	Fire Assay (SGS)

and	116.4	0.9	0.7	4.17	3.7			Fire Assay (SGS)
and	120.9	0.8	0.7	13.26	10.6	0.5m @ 18.3g/t Au	0.5m @ 18.3g/t Au	Fire Assay (SGS)
and	137.0	2.0	1.8	10.48	21.0	2m @ 10.5g/t Au	0.6m @ 17.3g/t Au	Fire Assay (SGS)
and	244.0	1.0	0.8	14.40	14.4	1m @ 14.4g/t Au	1m @ 14.4g/t Au	Fire Assay (SGS)
and	257.5	3.2	2.7	6.74	21.6	0.5m @ 38.7g/t Au	0.5m @ 38.7g/t Au	Fire Assay (SGS)
and	272.0	1.0	0.8	75.50	75.5	1m @ 75.5g/t Au	1m @ 75.5g/t Au	Fire Assay (SGS)
25-RDW-046	147.4	3.1	2.9	2.14	6.6	0.5m @ 6.38g/t Au		Fire Assay (SGS)
and	196.3	13.7	11.2	2.69	36.8	1m @ 8.4g/t Au, 1m @ 5.78g/t Au		Fire Assay (SGS)
and	245.5	1.7	1.6	13.07	22.2	0.9m @ 20.4g/t Au	0.9m @ 20.4g/t Au	Fire Assay (SGS)
25-RDW-049	185.3	6.2	5.9	15.78	97.9	6.2m @ 15.8g/t Au	4.3m @ 19.8g/t Au	Fire Assay (SGS)
and	194.5	5.5	5.0	2.18	12.0			Fire Assay (SGS)
and	216.0	1.3	1.2	3.86	5.0	0.7m @ 5.36g/t Au		Fire Assay (SGS)
25-RDW-051	51.7	0.6	0.6	13.50	8.1	0.6m @ 13.5g/t Au	0.6m @ 13.5g/t Au	Fire Assay (SGS)
and	80.7	0.3	0.3	20.20	6.1	0.3m @ 20.2g/t Au	0.3m @ 20.2g/t Au	Fire Assay (SGS)
and	224.4	1.8	1.0	18.74	33.7	1.8m @ 18.7g/t Au	0.7m @ 40.4g/t Au	Fire Assay (SGS)
and	241.0	1.8	1.8	3.75	6.8	0.3m @ 8.56g/t Au		Fire Assay (SGS)
and	306.0	1.0	1.0	4.66	4.7			Fire Assay (SGS)
and	16.0	2.0	1.8	3.84	7.7			Fire Assay (SGS)
25-RDW-052	47.6	0.4	0.3	12.30	4.9	0.4m @ 12.3g/t Au	0.4m @ 12.3g/t Au	Fire Assay (SGS)
and	134.3	1.2	0.9	3.46	4.2			Fire Assay (SGS)
25-WEL-001	64.5	6.8	5.4	6.20	42.2	6m @ 6.8g/t Au	0.5m @ 16.3g/t Au, 0.4m @ 16g/t Au, 0.4m @ 14.9g/t Au, 0.3m @ 18.1g/t Au	Fire Assay (SGS)
and	78.5	4.0	2.6	3.33	13.3	0.8m @ 10.8g/t Au	0.5m @ 13.1g/t Au	Fire Assay (SGS)
and	101.8	1.2	0.8	7.00	8.4	0.3m @ 17.9g/t Au	0.3m @ 17.9g/t Au	Fire Assay (SGS)
and	114.2	2.8	2.7	5.37	15.0	1.3m @ 7.87g/t Au	0.6m @ 11.5g/t Au	Fire Assay (SGS)
25-WEL-002	26.0	3.0	2.5	1.92	5.8			Fire Assay (SGS)
and	59.6	1.4	1.2	4.10	5.7	0.5m @ 9.4g/t Au		Fire Assay (SGS)
and	65.0	0.5	0.4	26.10	13.1	0.5m @ 26.1g/t Au	0.5m @ 26.1g/t Au	Fire Assay (SGS)
and	70.0	1.3	1.2	7.12	9.3	0.8m @ 9.76g/t Au		Fire Assay (SGS)
and	113.3	0.7	0.7	11.29	7.9	0.4m @ 16.8g/t Au	0.4m @ 16.8g/t Au	Fire Assay (SGS)
and	187.2	2.8	2.5	4.98	13.9	0.7m @ 13g/t Au	0.7m @ 13g/t Au	Fire Assay (SGS)
25-WEL-003	67.0	0.3	0.3	36.90	11.1	0.3m @ 36.9g/t Au	0.3m @ 36.9g/t Au	Fire Assay (SGS)
and	86.0	4.3	2.9	2.54	10.9	0.5m @ 10.5g/t Au	0.5m @ 10.5g/t Au	Fire Assay (SGS)
and	101.6	0.9	0.8	94.60	85.1	0.9m @ 94.6g/t Au	0.9m @ 94.6g/t Au	Fire Assay (SGS)
and	114.8	0.4	0.4	9.69	3.9	0.4m @ 9.69g/t Au		Fire Assay (SGS)
and	144.4	1.0	0.9	8.88	8.9	1m @ 8.88g/t Au	0.3m @ 18.8g/t Au	Fire Assay (SGS)
and	184.0	2.8	2.8	4.06	11.4	1m @ 5.29g/t Au, 0.4m @ 5.66g/t Au		Fire Assay (SGS)
25-WEL-007	94.8	1.9	1.3	7.11	13.5	1.9m @ 7.11g/t Au	0.3m @ 11.9g/t Au	Fire Assay (SGS)
and	107.0	1.0	0.3	283.00	283.0	1m @ 283g/t Au	1m @ 283g/t Au	Fire Assay (SGS)
and	112.4	0.4	0.3	7.96	3.2	0.4m @ 7.96g/t Au		Fire Assay (SGS)
and	190.4	4.3	4.3	3.46	14.9	1.3m @ 5.38g/t Au, 0.8m @ 7.37g/t Au		Fire Assay (SGS)

Criteria: Cut off grade 2.0 g/t Au, minimum length 1.5 m, maximum consecutive internal waste 2 m, if Au grade x length > 3 the composite will be added
Price Assumptions: Au = 1750usd oz

Table 3: MSW Near-Mine Drill Results

HOLE-ID	From (m)	Core Length (m)	Estimated True Width (m)	Au (g/t)	Au GXM	Including	Method
25-BOT-002	234.0	7.2	6.2	0.63	4.5		Fire Assay (SGS)
25-BOT-005	327.3	2.5	1.8	2.51	6.3	0.3m @ 5.77g/t Au	Fire Assay (SGS)
25-CMP-004	12.0	3.8	1.6	0.64	2.4		Photon (ALS)
25-CMP-005	18.5	1.2	1.1	4.78	5.7	0.5m @ 7.64g/t Au	Photon (ALS)
25-KAZ-001	25.0	3.1	2.3	2.56	7.9	1m @ 6.34g/t Au	Fire Assay (SGS)
25-KAZ-007	28.8	1.2	1.1	43.76	52.5	0.4m @ 129g/t Au	Fire Assay (ALS)
25-KAZ-013	27.0	6.0	3.9	0.68	4.1		Photon (ALS)
25-KAZ-014	98.0	1.0	0.5	2.15	2.1		Photon (ALS)
25-MID-004	216.4	0.6	0.4	5.29	3.2	0.6m @ 5.29g/t Au	Photon (ALS)

Criteria: Cut off grade 0.4 g/t Au, minimum length 5m, maximum consecutive internal waste 4.4 m, if Au grade x length > 2 the composite will be added
Price Assumptions: Au = 1750usd oz

Table 4: MSW Underground, Deep Directional and Near-Mine Drill Hole Collars

Hole ID	Coordinate X	Coordinate Y	Coordinate Z	Azimuth	Dip	Depth (m)
25-BOT-004	1898.5	9544.6	5306.4	133.0	-48.80	450.0
25-BOT-005	1898.5	9544.6	5306.4	133.6	-59.71	500.0
25-CMP-004	7340.5	11431.7	5314.1	249.3	-54.41	111.0
25-CMP-005	7291.6	11377.4	5313.6	66.4	-59.31	102.0
25-KAZ-001	10264.4	3311.2	5326.4	69.0	-50.14	201.0
25-KAZ-002	10382.0	3348.0	5318.0	250.8	-50.07	102.0
25-KAZ-002A	10382.0	3348.0	5318.0	252.0	-50.00	18.0
25-KAZ-004	10466.4	3370.9	5308.8	70.6	-60.04	175.0
25-KAZ-005	10577.9	3406.1	5302.1	69.2	-59.88	177.0
25-KAZ-006	10229.9	3516.7	5326.7	69.8	-55.08	150.0
25-KAZ-007	10314.0	3328.7	5321.3	69.9	-49.81	192.0

25-KAZ-008	10536.2	3518.2	5300.3	70.1	-44.77	201.0
25-KAZ-009	10508.0	3612.7	5302.0	70.5	-45.47	201.0
25-KAZ-010	10476.0	3715.3	5304.0	69.5	-45.08	204.0
25-KAZ-011	10329.0	3546.0	5321.0	250.6	-59.78	150.0
25-KAZ-012	10313.7	3548.3	5320.9	250.4	-44.12	120.0
25-KAZ-013	10351.0	3337.0	5320.0	251.1	-44.39	150.0
25-KAZ-013A	10351.0	3337.0	5320.0	250.5	-44.80	150.0
25-KAZ-014	10409.2	3354.1	5311.8	71.0	-49.75	150.0
25-LNX-009	8216.2	14871.9	3949.7	103.0	9.84	281.0
25-LNX-012	8216.2	14872.0	3950.4	101.4	22.78	339.0
25-LNX-038	8216.6	14922.3	3940.8	89.3	-14.57	237.0
25-LNX-039	8216.6	14922.3	3941.0	89.2	-7.99	246.0
25-LNX-040	8216.9	14922.3	3941.2	89.4	-1.45	255.0
25-LNX-041	8216.9	14922.3	3941.6	89.4	5.14	300.0
25-LNX-042	8216.6	14922.3	3941.5	90.0	3.35	288.0
25-LNX-043	8216.9	14922.3	3942.2	89.8	14.44	316.5
25-LNX-044	8216.6	14922.2	3942.4	90.1	18.01	330.0
25-LNX-045	8216.5	14922.3	3942.5	90.2	21.15	360.0
25-LNX-046	8845.1	11960.0	5010.9	225.4	-67.09	246.0
25-LNX-047	8845.0	11959.9	5010.9	226.0	-63.38	219.0
25-LNX-048	8845.0	11959.9	5011.0	226.1	-59.80	201.0
25-LNX-054	8847.6	11964.3	5011.0	298.0	-69.67	279.0
25-MID-001	9406.1	4705.1	5328.6	260.2	-44.96	396.0
25-MID-002	9649.8	4753.0	5320.7	260.2	-49.15	351.0
25-MID-003	9787.3	4769.2	5312.3	258.9	-49.52	225.0
25-MID-004	9787.3	4769.2	5312.3	79.2	-49.22	225.0
25-NSD01-003W	7707.9	15903.7	5303.5	84.1	-83.15	2135.5
25-NSD02-002W	7733.2	16326.3	5308.1	87.3	-84.47	2214.0
25-NSD02-003W	7733.2	16326.3	5308.1	87.3	-84.47	2214.5
25-NSD03-001	7770.8	16604.5	5307.0	65.0	-87.06	2379.0
25-NSD03-002W	7770.8	16604.5	5307.0	65.0	-87.06	2439.0
25-PQE-031	8216.3	14872.0	3948.0	90.4	-52.56	306.0
25-RDW-031	9079.2	9850.3	4910.7	91.0	-40.88	90.0
25-RDW-036	9079.4	9850.4	4912.3	89.3	6.30	102.0
25-RDW-042	9076.2	9900.8	4905.5	88.3	12.73	90.0
25-RDW-046	8672.4	12449.3	4543.7	102.6	23.73	279.0
25-RDW-050	8672.2	12449.4	4544.6	102.3	38.27	342.0
25-RDW-051	8671.9	12449.4	4544.8	102.0	42.42	366.0
25-RDW-052	8672.4	12449.2	4543.0	104.9	9.59	159.0
25-WEL-001	7989.0	13801.4	4388.2	268.6	-47.19	252.0
25-WEL-002	7989.1	13801.4	4388.5	269.1	-40.56	240.0
25-WEL-003	7989.1	13801.4	4388.8	268.9	-32.59	231.0
25-WEL-007	7989.2	13801.4	4389.7	269.0	-3.35	216.0